

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S12 2	3	("7216174").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 15:57
S12 3	8	("20020083156"   "20020173315"   "20020193110"   "20020197985"   "20030118049"   "20040132473"   "6021493"   "6412025").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/04 15:59
S12 0	4	S119 and (configur\$5 near3 (chang\$3 or alter\$3) or reconfigu\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 16:58
S97	37	((wireless or cellular or (mobile or portal or portable) adj device) and IS-856) and (@AD<"20010629" or @RLAD<"20010629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 16:59
S12 4	1831	request\$3 with (configur\$5 near3 (chang\$3 or alter\$3) or reconfigu\$5) and (@AD<"20010629" or @RLAD<"20010629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 17:03
S12 8	2397	request\$3 with (configur\$5 near3 (chang\$3 or alter\$3 or modify or updat\$3) or reconfigu\$5) and (@AD<"20010629" or @RLAD<"20010629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 17:04
S12 6	16	(wireless or cellular or (mobile or portal or portable) adj device) adj10 request\$3 with (configur\$5 near3 (chang\$3 or alter\$3) or reconfigu\$5) and (@AD<"20010629" or @RLAD<"20010629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 17:04
S13 0	136	(access or wireless or cellular or (mobile or portal or portable) adj (terminal or device or module)) adj10 request\$3 with (configur\$5 near3 (chang\$3 or alter\$3 or modify\$3 or updat\$3) or reconfigu\$5) and (@AD<"20010629" or @RLAD<"20010629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 17:05

## EAST Search History

S12 9	20	(wireless or cellular or (mobile or portal or portable) adj device) adj10 request\$3 with (configur\$5 near3 (chang\$3 or alter\$3 or modify\$3 or updat\$3) or reconfigu\$5) and (@AD<"20010629" or @RLAD<"20010629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 17:05
S13 2	0	wait\$3 with configuration adj5 (parameter or value or setting) and S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 17:07
S13 1	0	wait\$3 with configuration with "from" and S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 17:07
S13 3	9	(receiv\$3 or send\$3) with configuration adj5 (parameter or value or setting) and S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 17:08
S12 7	9	(flag or indicator or indication or field) with (wait\$3 or expect\$3) with configuration adj5 (parameter or update)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 06:01
L5	26	wait\$3 near5 (state or status or flag or indicator or indication or field or bit) with configur\$5 near5 (request or session) and (@AD<"20010629" or @RLAD<"20010629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 06:03
L7	1050	request near15 configur\$5 with (remote or external or another or peer or second) adj5 (server or device or peer or network) and (@AD<"20010629" or @RLAD<"20010629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 06:05
L6	365	request near15 configur\$5 with (remote or external or another or peer or second) adj5 network and (@AD<"20010629" or @RLAD<"20010629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 06:05
L9	15	5 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 06:08

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	1	request adj10 (reconfigur\$5 or ((updat\$3 or modify or modifying or modified or chang\$3) adj5 configuration)) same (await\$3 or wait\$3) near10 (return or respon\$3) with (network or peer or server) and (@AD<"20010629" or @RLAD<"20010629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 06:23